



FULLSAN FRESH DISINFECTANT

TUBERCULOCIDAL ACTIVITY: This product exhibits disinfectant efficacy against *Mycobacterium tuberculosis* var. *bovis* in 10 minutes at 20° C when used as directed on previously cleaned, hard, nonporous, inanimate surfaces. This product exhibits disinfectant efficacy in 10 minutes against the following organisms when used as directed on hard, non-porous, inanimate surfaces in the presence of 5% blood serum: ***VIRUCIDAL** - Human Immunodeficiency Virus Type I [HIV-1: A retro virus that causes "AIDS" (Acquired Immune Deficiency Syndrome)]; Herpes Simplex Virus Type II (ATCC VR-734) and Influenza Virus A2/Hong Kong (ATCC VR-544). **BACTERICIDAL** – *Pseudomonas aeruginosa* (ATCC 15442), *Staphylococcus aureus* (ATCC 6538), Methicillin resistant *Staphylococcus aureus* (MRSA, ATCC 33592), and *Salmonella enterica* (ATCC 10708). **FUNGICIDAL** – Athlete's Foot Fungus (*Trichophyton mentagrophytes* [ATCC 9533], a cause of ringworm). Disinfects and controls mold and mildew on hard, nonporous surfaces such as metal surfaces, stainless steel surfaces, glazed porcelain, glazed ceramic tile, plastic surfaces, bathroom fixtures, empty garbage cans and diaper pails, furniture in sick rooms and nurseries, fishing equipment and sports equipment such as skate shoes and bowling shoes. Spray in the shower stalls, shoes, and walking areas.

EFFECTIVE AGAINST THE FOLLOWING PATHOGENS:

Bactericidal:

Pseudomonas aeruginosa
Staphylococcus aureus
Salmonella enterica
Methicillin resistant *Staphylococcus aureus* (MRSA)

Virucidal:

*HIV-1 (AIDS Virus)
Herpes Simplex Virus Type II
Influenza Virus A2/Hong Kong
Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu).

Fungi:

Trichophyton mentagrophytes (Athlete's Foot Fungus)

PRODUCT SPECIFICATIONS:

pH (concentrate) 10.0
Appearance Pale Yellow
Fragrance Fresh
Solubility in Water Complete
Warehouse Storage (NFPA) Level 1 Aerosol
Flash Point 58° F


ACTIVE INGREDIENTS:

Orthophenylphenol: 0.08%
Paratertiary amylphenol: 0.02%

INERT INGREDIENTS: 99.90%

TOTAL 100.00%

END-USE-RATING



PRODUCT AVAILABILITY:

• 91210....12/16 oz Aerosol

0	1	2	3	4
Minimal	Slight	Moderate	Serious	Severe
Minimo	Minimo	Moderar	Grave	Drastico

DATA SHEET

FULLPRO
FULLER PROFESSIONAL

FULLSAN FRESH DISINFECTANT

USED IN: HOSPITALS AND OTHER MEDICAL, INDUSTRIAL, INSTITUTIONAL, COMMERCIAL AND RESIDENTIAL FACILITIES.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. This product is not for use on critical or semi-critical medical device surfaces.

GENERAL: HOLD CONTAINER UPRIGHT. SHAKE OCCASIONALLY DURING USE.

***KILLS HIV-1 ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 ON SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use disposable latex gloves, gowns, masks, and eye coverings. **CLEANING PROCEDURES:** Blood and other body fluids (containing HIV-1) must be thoroughly cleaned from surfaces and objects before application of this product. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood, body fluids, cleaning materials and clothing should be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal. **CONTACT TIME:** Allow surface to remain wet for 10 minutes.

FOR TUBERCULOCIDAL USE: Remove heavy soil and thoroughly clean surfaces prior to application of this product. Spray from 6-8" until thoroughly wet. Allow surface to remain undisturbed for at least 10 minutes at 20° C before wiping.

FOR DISINFECTING and deodorizing: remove heavy soil and spray from 6-8" until thoroughly wet. Allow surface to remain undisturbed for at least 10 minutes before wiping.

TO CONTROL MOLD AND MILDEW (*Aspergillus niger*, ATCC 6275) and the odors they cause on pre-cleaned, hard, non-porous inanimate surfaces, spray from 6-8" until thoroughly wet. Let air dry. Repeat application at weekly intervals or when mildew growth appears.

FOR DEODORIZING MOPS: Shake well before using. Rinse wet mops thoroughly with clean water and wring out prior to treatment. Shake dust and debris from dust mops prior to application. Hold can upright 6 to 8 inches from mop and spray until yarn surfaces are wet. Turn mop over and also inside out to allow spray to contact all yarn surfaces. Hang mop in well ventilated area. Allow dust mops to dry before use (at least ten minutes).

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice. **IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice. **IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for further treatment advice. **IF SWALLOWED:** Call a poison control center or doctor for further treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PHYSICAL AND CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

STORAGE AND DISPOSAL:

GENERAL: Do not contaminate other materials, including water, food or feed during transport, use, storage, or disposal. If damaged or leaking, soak up and wrap waste, then dispose of as below. **Storage:** Keep in a cool, dry, locked area inaccessible to children and away from flames, sparks, sunlight, or other sources of heat or ignition. Containers heated above 130°F (54°C) may burst. **Disposal:** Refasten protective cap on container and discard in trash or offer for recycling, if available. Do not incinerate or puncture.

KEEP OUT OF REACH OF CHILDREN

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes and clothing. Do not spray on or toward eyes or face. Avoid breathing spray mist or vapors. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Do not contaminate food or feed, nor surfaces that they may contact.

TRANSPORTATION INFORMATION:

U.S. DOT - Proper Shipping Name: Consumer Commodity, ORM-D.

Marine Pollutant: No

EPA Reg. No. 3862-104-62511

EPA Est. No. 62511-KS-1

Distributed by:

FULLER BRUSH COMMERCIAL PRODUCTS
DIVISION OF THE FULLER BRUSH COMPANY • 2010
PO BOX 729 • Great Bend, KS 67530

9121TDS-1210

MSDS Retrieval
Obtención de HDSM

www.fullercommercial.com

800-848-4901

DATA SHEET
FULLERPRO
FULLERPROFESSIONAL