



1. Identification

Label elements

Product identifier	Industrial Germicidal Cleaner	
Other means of identification Product code	99250	
Product registration number	1839-84-62511	
Recommended use	Cleaner and Disinfectant	
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/	Distributor information	
Manufacturer		
Company name Address	Fuller Commercial Products One Fuller Way Great Bend, KS 67530 United States	
Telephone E-mail	Customer Service Not available.	(800) 810-4829
Emergency phone number	CHEMTREC Emergency 24 hour Emergency	(800) 424-9300 (620) 792-1711 (800) 424-9300
2. Hazard(s) identification		
Physical hazards	Gases under pressure	Compress

Physical hazards	Gases under pressure	Compressed gas
Health hazards	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2A
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 3
OSHA defined hazards	Not classified.	



	\mathbf{v} \mathbf{v}
Signal word	Warning
Hazard statement	Contains gas under pressure; may explode if heated. Causes skin irritation. Causes serious eye irritation. Harmful to aquatic life.
Precautionary statement	
Prevention	Wash thoroughly after handling. Avoid release to the environment. Wear protective gloves. Wear eye/face protection.
Response	If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash before reuse.
Storage	Protect from sunlight. Store in a well-ventilated place.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	10.6% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
DIETHYLENE GLYCOL BUTYL ETHER		112-34-5	3 - < 5
ISOBUTANE		75-28-5	3 - < 5
TETRASODIUM EDTA		64-02-8	1 - < 3
ALKYL* DIMETHYL BENZYL AMMONIUM CHLORIDE *(67%C12, 25%C14, 7%C16, 1%C18)		68391-01-5	< 0.2
ALKYL* DIMETHYL ETHYLBENZYL AMMONIUM CHLORIDE *(68%C12, 32%C14)		85409-23-0	< 0.2
Other components below reportable le	vels		80 - < 90

Other components below reportable levels

80 - < 90

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures	
Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.
Ingestion	In the unlikely event of swallowing contact a physician or poison control center. Rinse mouth.
Most important symptoms/effects, acute and delayed	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	Contents under pressure.
Special protective equipment and precautions for firefighters	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA.
Fire-fighting equipment/instructions	In case of fire: Stop leak if safe to do so. Do not move cargo or vehicle if cargo has been exposed to heat. Move containers from fire area if you can do so without risk. Containers should be cooled with water to prevent vapor pressure build up. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up	Refer to attached safety data sheets and/or instructions for use. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the leak is irreparable. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent entry into waterways, sewer, basements or confined areas. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any other incandescent material. Do not smoke while using or until sprayed surface is thoroughly dry. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Ground and bond containers when transferring material. Do not re-use empty containers. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Use only in well-ventilated areas. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid release to the environment. Do not empty into drains.
Conditions for safe storage,	Level 1 Aerosol.
including any incompatibilities	Contents under pressure. Do not expose to heat or store at temperatures above 120°F/49°C as can may burst. Do not puncture, incinerate or crush. Do not handle or store near an open flame, heat or other sources of ignition. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. ACGIH Threshold Limit Components	Values Type	Value	Form
DIETHYLENE GLYCOL BUTYL ETHER (CAS 112-34-5)	TWA	10 ppm	Inhalable fraction and vapor.
ISOBUTANE (CAS 75-28-5)	STEL	1000 ppm	
US. NIOSH: Pocket Guide to	Chemical Hazards		
Components	Туре	Value	
ISOBUTANE (CAS 75-28-5)	TWA	1900 mg/m3 800 ppm	
Biological limit values	No biological exposure limits noted for	or the ingredient(s).	
Appropriate engineering controls	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.		
Individual protection measures, Eye/face protection	s, such as personal protective equipment Face shield is recommended. Wear safety glasses with side shields (or goggles).		
Skin protection			
Hand protection	For prolonged or repeated skin contact use suitable protective gloves.		
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.		
Respiratory protection	If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-supplied respirator.		
Thermal hazards	Wear appropriate thermal protective	clothing, when necessary.	
General hygiene considerations	When using do not smoke. Always of after handling the material and before clothing and protective equipment to	e eating, drinking, and/or smokir	

9. Physical and chemical properties

Physical state Liquid.	
Form Aerosol. Compressed gas.	
Color Colorless	
Odor Matches to Standard	
Odor threshold Not available.	
pH 10.9 - 12.5	
Melting point/freezing point Not available.	
Initial boiling point and boiling Not available. range	
Flash point > 212.0 °F (> 100.0 °C)	
Evaporation rate Not available.	
Flammability (solid, gas) Not available.	
Upper/lower flammability or explosive limits	
Flammability limit - lower Not available. (%)	
Flammability limit - upper Not available. (%)	
Explosive limit - lower (%) Not available.	
Explosive limit - upper (%) Not available.	
Vapor pressure 4115.89 hPa estimated	
Vapor density Not available.	
Relative density Not available.	
Solubility(ies)	
Solubility (water) Not available.	
Partition coefficient Not available. (n-octanol/water) Image: Control of the second secon	
Auto-ignition temperature Not available.	
Decomposition temperature Not available.	
Viscosity Not available.	
Other information	
Density 8.25 lbs/gal estimated	
Heat of combustion (NFPA 3.47 kJ/g estimated 30B)	
Percent volatile 96.9 % estimated	
Specific gravity 1.02 estimated	
VOC (Weight %) 5 % estimated	
10. Stability and reactivity	

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.Chemical stabilityMaterial is stable under normal conditions.Possibility of hazardous
reactionsHazardous polymerization does not occur.Conditions to avoidContact with incompatible materials.Incompatible materialsStrong oxidizing agents.Hazardous decomposition
productsNo hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion

Expected to be a low ingestion hazard.

Inhalation	Prolonged inhalation may be harmful.
Skin contact	Causes skin irritation.
Eye contact	Causes serious eye irritation.
Symptoms related to the physical, chemical and toxicological characteristics	Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.
Information on toxicological ef	fects

Acute toxicity	Not available.	
Product	Species	Test Results
Industrial Germicidal Cleaner (CAS Mixture)	
Acute		
Dermal		
LD50	Rabbit	67500 mg/kg estimated
Inhalation		
LC50	Mouse	1238.0952 mg/l, 1 Hours estimated
Oral		
LD50	Mouse	41140.5156 mg/kg estimated
	Rat	44650.9883 mg/kg estimated
Other		
LD50	Mouse	10451.6445 mg/kg estimated
	Rat	6264.6016 mg/kg estimated
* Estimates for product ma	ay be based on additional component data not sh	own.
Skin corrosion/irritation	Causes skin irritation.	
Serious eye damage/eye irritation	Causes serious eye irritation.	
Respiratory or skin sensitiza	tion	
	N1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.	

Respiratory sensitization	Not available.
Skin sensitization	This product is not expected to cause skin sensitization.
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.
OSHA Specifically Regulate	d Substances (29 CFR 1910.1001-1050)
Not listed.	
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.
Specific target organ toxicity - single exposure	Not classified.
Specific target organ toxicity - repeated exposure	Not classified.
Aspiration hazard	Not available.
Chronic effects	Prolonged inhalation may be harmful.

12. Ecological information

Harmful to	o aquatic life.	
	Species	Test Results
leaner (CAS Mixtu	re)	
EC50	Daphnia	677.4258 mg/l, 48 hours estimated
LC50	Fish	918.447 mg/l, 96 hours estimated
-	eaner (CAS Mixtu EC50	eaner (CAS Mixture) EC50 Daphnia

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Partition coefficient n-o	ctanol / water (log Kow)	
DIETHYLENE GLYCOL BUTYL ETHER		0.56
ISOBUTANE		2.76
Mobility in soil	No data available.	
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.	
13. Disposal considera	ations	
Disposal instructions	Do not allow this ma	before disposal. Contents under pressure. Do not puncture, incinerate or crush. terial to drain into sewers/water supplies. Do not contaminate ponds,

	waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Do not re-use empty containers.

14. Transport information

DOT	
UN number	Not available.
UN proper shipping name	Consumer commodity
Transport hazard class(es)	•
Class	ORM-D
Subsidiary risk	-
Label(s)	ORM-D
Packing group	Not applicable.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.
Packaging exceptions	156
Packaging non bulk	156
Packaging bulk	None
ΙΑΤΑ	
UN number	ID8000
UN proper shipping name	Consumer commodity
Transport hazard class(es)	
	9
Transport hazard class(es)	
Transport hazard class(es) Class Subsidiary risk Packing group	
Transport hazard class(es) Class Subsidiary risk Packing group Environmental hazards	9 - Not applicable. No.
Transport hazard class(es) Class Subsidiary risk Packing group Environmental hazards ERG Code	9 - Not applicable. No. 9L
Transport hazard class(es) Class Subsidiary risk Packing group Environmental hazards ERG Code Special precautions for user	9 - Not applicable. No.
Transport hazard class(es) Class Subsidiary risk Packing group Environmental hazards ERG Code	9 - Not applicable. No. 9L Read safety instructions, SDS and emergency procedures before handling.
Transport hazard class(es) Class Subsidiary risk Packing group Environmental hazards ERG Code Special precautions for user Other information Passenger and cargo	9 - Not applicable. No. 9L
Transport hazard class(es) Class Subsidiary risk Packing group Environmental hazards ERG Code Special precautions for user Other information Passenger and cargo aircraft	9 Not applicable. No. 9L Read safety instructions, SDS and emergency procedures before handling. Allowed.
Transport hazard class(es) Class Subsidiary risk Packing group Environmental hazards ERG Code Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only	9 Not applicable. No. 9L Read safety instructions, SDS and emergency procedures before handling. Allowed.
Transport hazard class(es) Class Subsidiary risk Packing group Environmental hazards ERG Code Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only Transport in bulk according to	9 Not applicable. No. 9L Read safety instructions, SDS and emergency procedures before handling. Allowed.
Transport hazard class(es) Class Subsidiary risk Packing group Environmental hazards ERG Code Special precautions for user Other information Passenger and cargo aircraft Cargo aircraft only	9 Not applicable. No. 9L Read safety instructions, SDS and emergency procedures before handling. Allowed.



15. Regulatory information

US federal regulations			ed by the OSHA Hazard Communication e listed or exempted from listing on the U.S. EPA
TSCA Section 12(b) Export	Notification (40 CFR 707, Sub	opt. D)	
Not regulated. CERCLA Hazardous Substa	ance List (40 CFR 302.4)		
ISOBUTANE (CAS 75-2	DIETHYLENE GLYCOL BUTYL ETHER (CAS 112-34- ISOBUTANE (CAS 75-28-5)		
SARA 304 Emergency relea	ase notification		
Not regulated. OSHA Specifically Regulate Not listed.	ed Substances (29 CFR 1910.	1001-1050)	
Superfund Amendments and R	eauthorization Act of 1986 (SA		
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No Pressure Hazard - Yes Reactivity Hazard - No		
SARA 302 Extremely hazar	dous substance		
Not listed.			
SARA 311/312 Hazardous chemical	Yes		
SARA 313 (TRI reporting) Chemical name		CAS number	% by wt
DIETHYLENE GLYCOL	BUTYL ETHER	112-34-5	3 - < 5
Other federal regulations			
DIETHYLENE GLYCOL	n 112 Hazardous Air Pollutant BUTYL ETHER (CAS 112-34-5 n 112(r) Accidental Release P 8-5))	58.130)
Safe Drinking Water Act (SDWA)	Not regulated.		
US state regulations			
US. Massachusetts RTK - S	Substance List		
ISOBUTANE (CAS 75-2	8-5)		
	d Community Right-to-Know	Act	
DIETHYLENE GLYCOL ISOBUTANE (CAS 75-2	BUTYL ETHER (CAS 112-34-5 8-5))	
US. Pennsylvania Worker a	nd Community Right-to-Knov	v Law	
ISOBUTANE (CAS 75-2	BUTYL ETHER (CAS 112-34-5)	
US. Rhode Island RTK			

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

16. Other information, including date of preparation or last revision

Issue date	03-25-2015
Revision date	05-07-2015
Version #	02
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.
Revision Information	Physical & Chemical Properties: Multiple Properties Toxicological Information: Toxicological Data Transport Information: Material Transportation Information